


LINESPOT II: MIDBAY, SURFACE-MOUNTED EMERGENCY LIGHTS



The Linespot II Midbay is a surface-mounted emergency light. The luminaire's optics are designed to provide a long and narrow light pattern that illuminates corridors and escape routes efficiently.

Thanks to the IP44 enclosure class, the Linespot II is also suitable for damp areas. The luminaire

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 24, 2024 | Source:

www.teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/linespot-ii-midbay-surface-mounted-emergency-lights



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

is easy and fast to install, thanks to a separate mounting base, which is also connected to the power supply.

SELF-CONTAINED ESCAP EMERGENCY LIGHTS WITH SUPER CAPACITOR AND SELF-TESTING

Product Code	Nominal Supply Voltage	Feature	Backup (h)	Form
TWS8892WMT	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	
TWS8892WM	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	
Y8892WM	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	

SELF-CONTAINED ESCAP EMERGENCY LIGHTS WITH SUPER CAPACITOR AND WIRELESS CENTRAL MONITORING

Product Code	Nominal Supply Voltage	Feature	Backup (h)
TWS8892WAT	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWS8892WA	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
Y8892WA	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1

SELF-CONTAINED EMERGENCY LIGHTS WITH BATTERY AND SELF-TESTING

Product Code	Nominal Supply Voltage	Feature	Backup (h)
TWT8852WMT	220-240 V, 50/60 Hz AC	Lumi Test	1
TWT8853WMT	220-240 V, 50/60 Hz AC	Lumi Test	3
TWT8852WM	220-240 V, 50/60 Hz AC	Lumi Test	1
Y8852WM	220-240 V, 50/60 Hz AC	Lumi Test	1
TWT8853WM	220-240 V, 50/60 Hz AC	Lumi Test	3
Y8853WM	220-240 V, 50/60 Hz AC	Lumi Test	3

SELF-CONTAINED EMERGENCY LIGHTS WITH BATTERY AND WIRELESS CENTRAL MONITORING

Product Code	Nominal Supply Voltage	Feature	Backup (h)
TWT8852WAT	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	1
TWT8853WAT	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	3
TWT8852WA	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	1
Y8852WA	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	1
TWT8853WA	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	3
Y8853WA	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	3

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 24, 2024 | Source:

www.teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/linespot-ii-midbay-surface-mounted-emergency-lights



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY LIGHTS

Product Code	Nominal Supply Voltage	Feature
TWT8851WKT	220-240 V, 50/60 Hz AC, DC	Intelligent Controller, Tapsa Control
TWT8856WKT	220-240 V, 50/60 Hz AC, DC	Intelligent Controller, Tapsa Control
TWT8851WK	220-240 V, 50/60 Hz AC, DC	Intelligent Controller, Tapsa Control
Y8851WK	220-240 V, 50/60 Hz AC, DC	Intelligent Controller, Tapsa Control
TWT8856WK	220-240 V, 50/60 Hz AC, DC	Intelligent Controller, Tapsa Control
Y8856WK	220-240 V, 50/60 Hz AC, DC	Intelligent Controller, Tapsa Control

NON-ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY LIGHTS

Product Code	Nominal Supply Voltage	Feature	Form
TWT8871WT	24-230 V, 50/60 Hz AC, DC	Tapsa Control	
TWT8871W	24-230 V, 50/60 Hz AC, DC	Tapsa Control	
Y8871W	24-230 V, 50/60 Hz AC, DC	Tapsa Control	

ADDRESSABLE 24 V CENTRALLY SUPPLIED EMERGENCY LIGHTS

Product Code	Nominal Supply Voltage	Feature	Form
TWT8841WKT	24 V, 50/60 Hz AC, DC	Tapsa Control	
TWT8841WK	24 V, 50/60 Hz AC, DC	Tapsa Control	

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 24, 2024 | Source:

www.teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/linespot-ii-midbay-surface-mounted-emergency-lights



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com