


PICTOGRAM PBV81405E3



1-sided, light plate pictogram, arrow up, for Esc 81 (TWT81/TWS81) emergency exit lights. 40 m viewing distance.

Product Code	PBV81405E3
Customs Code	94056080
GTIN Code	6438045020891
ETIM Product Class	EC000479
Length	400 mm
Width	10 mm
Height	224 mm
Weight	1,06 kg
Glow Wire Test of Plastic Materials	650 °C
Viewing Distance	40 m

ONE OR MORE OF THESE IS ALSO REQUIRED:

SELF-CONTAINED EMERGENCY EXIT LIGHTS WITH BATTERY AND SELF-TESTING



Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWT8153WM	220-240 V, 50/60 Hz AC		2-sided, 40/60 m	3

SELF-CONTAINED EMERGENCY EXIT LIGHTS WITH BATTERY AND WIRELESS CENTRAL MONITORING



Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWT8153WA	220-240 V, 50/60 Hz AC		2-sided, 40/60 m	3

ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS



Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
TWT8151WK	220-240 V, 50/60 Hz AC, DC		2-sided, 40/60 m

NON-ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS

220-240 V,
50/60 Hz
AC, DC

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
TWT8151W	220-240 V, 50/60 Hz AC, DC		2-sided, 40/60 m

NON-ADDRESSABLE 24 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS

24 V,
50/60 Hz
AC, DC

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
TWT8141W	24 V, 50/60 Hz AC, DC		2-sided, 40/60 m

We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: May 04, 2024 | Source:
www.teknoware.com/en/emergency-lighting/pictogram-pbv81405e3

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

