


# SILVER LED EMERGENCY EXIT LIGHT TWS6792WA



## Self-contained ESCAP Emergency Exit Light with 1 h Super Capacitor and Wireless Central Monitoring

Teknoware's Silver LED exit lights have a metal body and are suitable for aesthetically demanding environments.

The 1-sided light plate pictogram of the wall mounted Silver luminaire is silk screen printed and its frame is made from bent sheet steel.

We reserve the rights to make modifications without notice.  
Copyright © 2024 Teknoware. All rights reserved.  
Date: April 26, 2024 | Source:  
[www.teknoware.com/en/emergency-lighting/silver-led-emergency-exit-light-tws6792wa](http://www.teknoware.com/en/emergency-lighting/silver-led-emergency-exit-light-tws6792wa)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# INDIVIDUALLY PACKED LIGHTS

| Product Code |
|--------------|
| Y6792WA149   |
| Y6792WA148   |
| Y6792WA147   |

|                                     |                                 |
|-------------------------------------|---------------------------------|
| Product Code                        | TWS6792WA                       |
| Feature                             | Aalto Control, Escap, Lumi Test |
| Mounting (standard)                 | surface, semi-recess            |
| Customs Code                        | 94056080                        |
| GTIN Code                           | 6438045019932                   |
| ETIM Product Class                  | EC001957                        |
| Length                              | 350 mm                          |
| Width                               | 56 mm                           |
| Height                              | 200 mm                          |
| Weight                              | 2,6 kg                          |
| Backup                              | 1 h                             |
| Max Input Power VA                  | 7,6 VA                          |
| Nominal Supply Voltage              | 220-240 V, 50/60 Hz AC          |
| Protection Class                    | I                               |
| IP Class                            | IP20                            |
| Temperature Range Min - Max         | -25...+35 °C                    |
| Glow Wire Test of Plastic Materials | 650 °C                          |
| Viewing Distance                    | 30 m                            |
| Light Source                        | LED                             |
| Body Material                       | metal                           |
| Colour                              | RAL9006                         |

We reserve the rights to make modifications without notice.  
Copyright © 2024 Teknoware. All rights reserved.  
Date: April 26, 2024 | Source:  
[www.teknoware.com/en/emergency-lighting/silver-led-emergency-exit-light-tws6792wa](http://www.teknoware.com/en/emergency-lighting/silver-led-emergency-exit-light-tws6792wa)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



ONE OR MORE OF THESE IS ALSO REQUIRED:

PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram                                                                                                                                                           | Viewing Distance (m) | Compatible Product Groups    |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------|
| PBV3002E     |   | 30                   | Silver Emergency Exit Lights |
| PBV3003E     |   | 30                   | Silver Emergency Exit Lights |
| PBV3005E     |   | 30                   | Silver Emergency Exit Lights |

OPTIONAL ACCESSORIES:

COVER LABELS FOR EMERGENCY EXIT LIGHTS




| Product Code | Pictogram                                                                           | Compatible Product Groups    |
|--------------|-------------------------------------------------------------------------------------|------------------------------|
| XWT7000      |  | Silver Emergency Exit Lights |

SPARE PARTS:

SPARE PARTS FOR EMERGENCY LIGHTS



| Product Code | Product Name    | Compatible Product Groups                                                                                         |
|--------------|-----------------|-------------------------------------------------------------------------------------------------------------------|
| W100001      | Ballast W100001 | Addressable 230 V Centrally Supplied Emergency Lights, Addressable 230 V Centrally Supplied Emergency Exit Lights |



We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: April 26, 2024 | Source:

[www.teknoware.com/en/emergency-lighting/silver-led-emergency-exit-light-tws6792wa](http://www.teknoware.com/en/emergency-lighting/silver-led-emergency-exit-light-tws6792wa)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

