


INTERNAL POWER SUPPLY UNIT W030004



Internal Power Supply Unit for TKT6x Central Battery Systems (XST0202)

Product Code	W030004
GTIN Code	6438045013251
ETIM Product Class	EC002678
Length	142 mm
Width	103 mm
Height	38 mm
Weight	0,2 kg

COMPATIBLE PRODUCTS:

NON-ADDRESSABLE 230 V CENTRAL BATTERY SYSTEMS



Product Code	Nominal Supply Voltage	Number of Output Circuits	Max Load of Circuits (VA)
TKT6506B	1~ N/PE 220-240 VAC, 50 Hz	6 x 250 VA / W	
TKT6506BP	1~ N/PE 220-240 VAC, 50 Hz	6 x 250 VA / W	
TKT6512BP	1~ N/PE 220-240 VAC, 50 Hz	12 x 250 VA / W	
TKT6512B	1~ N/PE 220-240 VAC, 50 Hz	12 x 250 VA / W	
TKT6518BP	1~ N/PE 220-240 VAC, 50 Hz	18 x 250 VA / W	
TKT6518B	1~ N/PE 220-240 VAC, 50 Hz	18 x 250 VA / W	
TKT6524BP	1~ N/PE 220-240 VAC, 50 Hz	24 x 250 VA / W	
TKT6524B	1~ N/PE 220-240 VAC, 50 Hz	24 x 250 VA / W	
TKT6506BF	3~ N/PE 220-240/380-415 VAC, 50/60 Hz	6 x 250 VA / W	
TKT6512BF	3~ N/PE 220-240/380-415 VAC, 50/60 Hz	12 x 250 VA / W	
TKT6518BF	3~ N/PE 220-240/380-415 VAC, 50/60 Hz	18 x 250 VA / W	
TKT6524BF	3~ N/PE 220-240/380-415 VAC, 50/60 Hz	24 x 250 VA / W	

ADDRESSABLE 230 V CENTRAL BATTERY SYSTEMS



We reserve the rights to make modifications without notice.
 Copyright © 2024 Teknoware. All rights reserved.
 Date: April 29, 2024 | Source:
www.teknoware.com/en/emergency-lighting/internal-power-supply-unit-w030004

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
 Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com



Product Code	Nominal Supply Voltage	Number of Output Circuits	Max Load of Circuits (VA)
TKT6716C	3~ N/PE 220-240/380-415 VAC, 50/60 Hz	16 x 350 VA / W	
TKT6724C	3~ N/PE 220-240/380-415 VAC, 50/60 Hz	24 x 350 VA / W	
TKT6732C	3~ N/PE 220-240/380-415 VAC, 50/60 Hz	32 x 350 VA / W	
TKT6740C	3~ N/PE 220-240/380-415 VAC, 50/60 Hz	40 x 350 VA / W	
TKT6748C	3~ N/PE 220-240/380-415 VAC, 50/60 Hz	48 x 350 VA / W	
TKT6756C	3~ N/PE 220-240/380-415 VAC, 50/60 Hz	56 x 350 VA / W	
TKT6808C	1~ N/PE 220-240 VAC, 50/60 Hz	8 x 350 VA / W	
TKT6816C	1~ N/PE 220-240 VAC, 50/60 Hz	16 x 350 VA / W	
TKT6824C	1~ N/PE 220-240 VAC, 50/60 Hz	24 x 350 VA / W	
TKT6608C	1~ N/PE 220-240 VAC, 50/60 Hz	8 x 350 VA / W	
TKT6616C	1~ N/PE 220-240 VAC, 50/60 Hz	16 x 350 VA / W	
TKT6624C	1~ N/PE 220-240 VAC, 50/60 Hz	24 x 350 VA / W	
TKT6508C	1~ N/PE 220-240 VAC, 50 Hz	8 x 250 VA / W	
TKT6516C	1~ N/PE 220-240 VAC, 50 Hz	16 x 250 VA / W	
TKT6524C	1~ N/PE 220-240 VAC, 50 Hz	24 x 250 VA / W	

We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: April 29, 2024 | Source:
www.teknoware.com/en/emergency-lighting/internal-power-supply-unit-w030004

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

