ESC 80 EMERGENCY EXIT LIGHT Y8051W148



230 V centrally supplied LED Emergency Exit Light with 1-sided pictogram, arrow right, 30 m viewing distance (Invidually packed TWT8051W)

ESC 80 is an emergency exit light equipped with a light plate, combining cutting edge technology combined with modern luminaire design. Thanks to Teknoware's innovative electronics and product design, the ESC 80 luminaire combines uniformly illuminated pictograms, low power consumption, as well as a slender appearance.

There is a selection of three different luminaire sizes. ESC 80 luminaires can be used as 1 or 2 sided, as well as recess or surface mounted.

ESC 80 is particularly easy and fast to install thanks to a separate mounting piece, into which also the power supply is connected.

We reserve the rights to make modifications without notice. Copyright © 2024 Teknoware. All rights reserved. Date: May 19, 2024 | Source: www.teknoware.com/en/emergency-lighting/esc-80-emergency-exit-light-y8051w148

220-240 V

50/60 Hz

AC. DC




Product Code	Y8051W148
Mounting (standard)	ceiling, wall
Mounting (optional)	recess, flag, pendel
Customs Code	94056080
GTIN Code	6438045015439
ETIM Product Class	EC001957
Length	273 mm
Width	240 mm
Height	46 mm
Weight	0,75 kg
Max Input Power VA	3,9 VA
Max Input Power W	2,9 W
Nominal Supply Voltage	220-240 V, 50/60 Hz AC, DC
Protection Class	Ш
IP Class	IP44
Temperature Range Min - Max	-30+50 °C
Temperature Range Min - Max Viewing Distance	-30+50 °C 30 m
Viewing Distance	30 m
Viewing Distance Light Source	30 m LED
Viewing Distance Light Source Body Material	30 m LED plastic

Downlight chart for Exit Lights

Tables of 1 lux and 0,5 lux, under the Exit Light. Level of measurement 0,02 m, measurement result with battery operation.

We reserve the rights to make modifications without notice. Copyright © 2024 Teknoware. All rights reserved. Date: May 19, 2024 | Source: www.teknoware.com/en/emergency-lighting/esc-80-emergency-exit-light-y8051w148





R1 distance from wall (X axis) R4 distance from wall (Y axis) Y8051W148

Mounting height (m)	Below the light lux	R1 (m)	R4 (m)	R1 (m)	R4 (m)
		1 lux	1 lux	0,5 lux	0,5 lux
2	1,1	0,5	1	1,5	2
2,5	0,7			1,5	2

OPTIONAL ACCESSORIES:

SHOCK PROTECTING COVERS FOR EMERGENCY LIGHTS



Product Code	Product Name	Compatible Product Groups
TW77507B	Shock protecting cover TW77507B	ESC 10 Emergency Exit Lights, ESC 80 Emergency Exit Lights

OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS




Product Code	Product Name	Compatible Product Groups
TWT9000	Suspension bracket TWT9000	ESC 90 Emergency Exit Lights, ESC 80 Emergency Exit Lights, ESC 81 Emergency Exit Lights
TWT9002	Flag bracket TWT9002	124010.124011
TWT8001	Recess mounting frame TWT8001	ESC 80 Emergency Exit Lights
TWT8001B	Recess mounting frame TWT8001B	ESC 80 Emergency Exit Lights

We reserve the rights to make modifications without notice. Copyright © 2024 Teknoware. All rights reserved. Date: May 19, 2024 | Source: www.teknoware.com/en/emergency-lighting/esc-80-emergency-exit-light-y8051w148



We reserve the rights to make modifications without notice. Copyright © 2024 Teknoware. All rights reserved. Date: May 19, 2024 | Source: www.teknoware.com/en/emergency-lighting/esc-80-emergency-exit-light-y8051w148





We reserve the rights to make modifications without notice. Copyright © 2024 Teknoware. All rights reserved. Date: May 19, 2024 | Source: www.teknoware.com/en/emergency-lighting/esc-80-emergency-exit-light-y8051w148

