


PICTOGRAM PBV81602ER



2-sided, light plate pictogram, arrow down and wheelchair, for Esc 81 (TWT81/TWS81) emergency exit lights. 60 m viewing distance.

Product Code	PBV81602ER
GTIN Code	6438045024103
Length	398 mm
Width	10 mm
Height	323 mm
Weight	1 kg
Glow Wire Test of Plastic Materials	650 °C
Viewing Distance	60 m

ONE OR MORE OF THESE IS ALSO REQUIRED:

SELF-CONTAINED EMERGENCY EXIT LIGHTS WITH BATTERY AND SELF-TESTING



Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWT8153WM	220-240 V, 50/60 Hz AC		2-sided, 40/60 m	3

SELF-CONTAINED EMERGENCY EXIT LIGHTS WITH BATTERY AND WIRELESS CENTRAL MONITORING



Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWT8153WA	220-240 V, 50/60 Hz AC		2-sided, 40/60 m	3

ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS



Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
TWT8151WK	220-240 V, 50/60 Hz AC, DC		2-sided, 40/60 m

We reserve the rights to make modifications without notice.
 Copyright © 2024 Teknoware. All rights reserved.
 Date: May 19, 2024 | Source:
www.teknoware.com/en/emergency-lighting/pictogram-pbv81602er

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
 Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com



NON-ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS

We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: May 19, 2024 | Source:
www.teknoware.com/en/emergency-lighting/pictogram-pbv81602er

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com



220-240 V,
50/60 Hz
AC, DC

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
TWT8151W	220-240 V, 50/60 Hz AC, DC		2-sided, 40/60 m

NON-ADDRESSABLE 24 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS

24 V,
50/60 Hz
AC, DC

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
TWT8141W	24 V, 50/60 Hz AC, DC		2-sided, 40/60 m

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 19, 2024 | Source:

www.teknoware.com/en/emergency-lighting/pictogram-pbv81602er

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com



We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: May 19, 2024 | Source:
www.teknoware.com/en/emergency-lighting/pictogram-pbv81602er

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

