

ESC 3 EMERGENCY EXIT LIGHT TW39782



230 V centrally supplied Emergency Exit Light

The stylish aluminium profile bodied ESC 3 is particularly suitable for large areas, which require a long viewing distance. The luminaire is suitable for wall, as well as for ceiling suspended installation. Wall mounting comes as standard.

Certain models can be used as 1 sided as well as 2 sided. ESC 3 uses fluorescent tubes as a its light source.

TW397xx luminaire's IP class is 44, and TW494xx luminaire's IP class is 20.

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: April 20, 2024 | Source: www.teknoware.com/en/esc-3-emergency-exit-light-tw39782

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

 **TEKNOWARE®**

We reserve the rights to make modifications without notice.


Copyright © 2024 Teknoware. All rights reserved.

Date: April 20, 2024 | Source: www.teknoware.com/en/esc-3-emergency-exit-light-tw39782

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com





We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: April 20, 2024 | Source: www.teknoware.com/en/esc-3-emergency-exit-light-tw39782

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

