# SILVER LED EMERGENCY EXIT LIGHT TWS6592WA



220-240 V 50/60 Hz AC | 1h | LED | IP 20 | 30 m | RAL 9006 | 650 °C | -O- | CE | AALTO CONTROL | LUMI TEST | ESCAP | EN 1838 | EN 60598-2-22

## Self-contained ESCAP Emergency Exit Light with 1 h Super Capacitor and Wireless Central Monitoring

Teknoware's Silver luminaires are LED exit lights with a metal body. They are suitable suitable for aesthetically demanding environments.

The 2-sided light plate of the Silver luminaires is silk screen printed. Its body is made from bent sheet steel.

We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: March 29, 2024 | Source:
www.teknoware.com/en/emergency-lighting/silver-led-emergency-exit-light-tws6592wa

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

# INDIVIDUALLY PACKED LIGHTS

| Product Code |
| --- |
| Y6592WA145 |
| Y6592WA143 |

| | |
| --- | --- |
| Product Code | TWS6592WA |
| Feature | Aalto Control, Escap, Lumi Test |
| Mounting (standard) | ceiling |
| Customs Code | 94056080 |
| GTIN Code | 6438045019918 |
| ETIM Product Class | EC001957 |
| Length | 350 mm |
| Width | 63 mm |
| Height | 254 mm |
| Weight | 2,8 kg |
| Backup | 1 h |
| Max Input Power VA | 7,6 VA |
| Nominal Supply Voltage | 220-240 V, 50/60 Hz AC |
| Protection Class | I |
| IP Class | IP20 |
| Temperature Range Min - Max | -25...+35 °C |
| Glow Wire Test of Plastic Materials | 650 °C |
| Viewing Distance | 30 m |
| Light Source | LED |
| Body Material | metal |
| Colour | RAL9006 |
| Electrical Installation | 3 x 2,5 mm² |

We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: March 29, 2024 | Source:
www.teknoware.com/en/emergency-lighting/silver-led-emergency-exit-light-tws6592wa

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

# ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram | Viewing Distance (m) | Compatible Product Groups |
|---|---|---|---|
| PBV3002E |  | 30 | Silver Emergency Exit Lights |
| PBV3003E |  | 30 | Silver Emergency Exit Lights |
| PBV3005E |  | 30 | Silver Emergency Exit Lights |

# OPTIONAL ACCESSORIES:

## COVER LABELS FOR EMERGENCY EXIT LIGHTS



| Product Code | Pictogram | Compatible Product Groups |
|---|---|---|
| XWT7000 |  | Silver Emergency Exit Lights |

# SPARE PARTS:


## SPARE PARTS FOR EMERGENCY LIGHTS



| Product Code | Product Name | Compatible Product Groups |
|---|---|---|
| W100001 | Ballast W100001 | Addressable 230 V Centrally Supplied Emergency Lights, Addressable 230 V Centrally Supplied Emergency Exit Lights |

We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: March 29, 2024 | Source:
www.teknoware.com/en/emergency-lighting/silver-led-emergency-exit-light-tws6592wa

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com




We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: March 29, 2024 | Source:
www.teknoware.com/en/emergency-lighting/silver-led-emergency-exit-light-tws6592wa

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com