# SILVER LED EMERGENCY EXIT LIGHT Y6592WM145



220-240 V 50/60 Hz AC | 1h | LED | IP 20 | 30 m | RAL 9006 | 650 °C | -O- | CE | LUMI TEST | ESCAP | EN 1838 | EN 60598-2-22 | ⏚

## Self-contained ESCAP Emergency Light with 1 h Super Capacitor and Lumi Test Self-testing, with 2-sided pictogram, arrow down, 30 m viewing distance (Invidually packed TWS6592WM)

Teknoware's Silver luminaires are LED exit lights with a metal body. They are suitable suitable for aesthetically demanding environments.

The 2-sided light plate of the Silver luminaires is silk screen printed. Its body is made from bent sheet steel.

We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: March 29, 2024 | Source:
www.teknoware.com/en/emergency-lighting/silver-led-emergency-exit-light-y6592wm145

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

| | |
|---|---|
| Product Code | Y6592WM145 |
| Feature | Escap, Lumi Test |
| Mounting (standard) | ceiling |
| Customs Code | 94056080 |
| GTIN Code | 6438045020013 |
| ETIM Product Class | EC001957 |
| Length | 295 mm |
| Width | 420 mm |
| Height | 115 mm |
| Weight | 2,8 kg |
| Backup | 1 h |
| Max Input Power VA | 7,6 VA |
| Nominal Supply Voltage | 220-240 V, 50/60 Hz AC |
| Protection Class | I |
| IP Class | IP20 |
| Temperature Range Min - Max | -25...+35 °C |
| Glow Wire Test of Plastic Materials | 650 °C |
| Viewing Distance | 30 m |
| Light Source | LED |
| Body Material | metal |
| Colour | RAL9006 |
| Electrical Installation | 3 x 2,5 mm² |

# OPTIONAL ACCESSORIES:

## COVER LABELS FOR EMERGENCY EXIT LIGHTS


| Product Code | Pictogram | Compatible Product Groups |
|---|---|---|
| XWT7000 | | Silver Emergency Exit Lights |

We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: March 29, 2024 | Source:
www.teknoware.com/en/emergency-lighting/silver-led-emergency-exit-light-y6592wm145

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: March 29, 2024 | Source:
www.teknoware.com/en/emergency-lighting/silver-led-emergency-exit-light-y6592wm145

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com




We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: March 29, 2024 | Source:
www.teknoware.com/en/emergency-lighting/silver-led-emergency-exit-light-y6592wm145

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com