


ZONESPOT II: LOWBAY, SURFACE-MOUNTED EMERGENCY LIGHTS



The Zonespot II Lowbay is a surface-mounted emergency light that is particularly suitable for low spaces. The luminaire's optics are designed to provide a broad,

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: April 25, 2024 | Source:

www.teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/zonespot-ii-lowbay-surface-mounted-emergency-lights



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

uniform light pattern that illuminates open areas effectively.

Thanks to the IP44 enclosure class, the Zonespot II is also suitable for damp areas. The luminaire is easy and quick to install thanks to a separate mounting base, which is also connected to the power supply.

SELF-CONTAINED ESCAP EMERGENCY LIGHTS WITH SUPER CAPACITOR AND SELF-TESTING

Product Code	Nominal Supply Voltage	Feature	Backup (h)	Form
TWS9292WMT	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	
TWS9292WM	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	
Y9292WM	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	
TWS9292WMC	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	
Y9292WMC	220-240 V, 50/60 Hz AC	Escap, Lumi Test	1	

SELF-CONTAINED ESCAP EMERGENCY LIGHTS WITH SUPER CAPACITOR AND WIRELESS CENTRAL MONITORING

Product Code	Nominal Supply Voltage	Feature	Backup (h)
TWS9292WAT	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWS9292WA	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
Y9292WA	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1
TWS9292WAC	220-240 V, 50/60 Hz AC	Aalto Control, Escap, Lumi Test	1

SELF-CONTAINED EMERGENCY LIGHTS WITH BATTERY AND SELF-TESTING

Product Code	Nominal Supply Voltage	Feature	Backup (h)
TWT9252WMT	220-240 V, 50/60 Hz AC	Lumi Test	1
TWT9253WMT	220-240 V, 50/60 Hz AC	Lumi Test	3
TWT9252WM	220-240 V, 50/60 Hz AC	Lumi Test	1
Y9252WM	220-240 V, 50/60 Hz AC	Lumi Test	1
TWT9253WM	220-240 V, 50/60 Hz AC	Lumi Test	3
Y9253WM	220-240 V, 50/60 Hz AC	Lumi Test	3

SELF-CONTAINED EMERGENCY LIGHTS WITH BATTERY AND WIRELESS CENTRAL MONITORING

Product Code	Nominal Supply Voltage	Feature	Backup (h)
TWT9252WAT	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	1

We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: April 25, 2024 | Source:
www.teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/zonespot-ii-lowbay-surface-mounted-emergency-lights



Product Code	Nominal Supply Voltage	Feature	Backup (h)
TWT9253WAT	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	3
TWT9252WA	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	1
Y9252WA	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	1
TWT9253WA	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	3
Y9253WA	220-240 V, 50/60 Hz AC	Aalto Control, Lumi Test	3

ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY LIGHTS

Product Code	Nominal Supply Voltage	Feature
TWT9251WKT	220-240 V, 50/60 Hz AC, DC	Intelligent Controller, Tapsa Control
TWT9251WK	220-240 V, 50/60 Hz AC, DC	Intelligent Controller, Tapsa Control
Y9251WK	220-240 V, 50/60 Hz AC, DC	Intelligent Controller, Tapsa Control

NON-ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY LIGHTS

Product Code	Nominal Supply Voltage	Feature	Form
TWT9271WT	24-230 V, 50/60 Hz AC, DC		
TWT9271W	24-230 V, 50/60 Hz AC, DC		
Y9271W	24-230 V, 50/60 Hz AC, DC		

ADDRESSABLE 24 V CENTRALLY SUPPLIED EMERGENCY LIGHTS

Product Code	Nominal Supply Voltage	Feature	Form
TWT9241WKT	24 V, 50/60 Hz AC, DC	Tapsa Control	
TWT9241WK	24 V, 50/60 Hz AC, DC	Tapsa Control	
Y9241WK	24 V, 50/60 Hz AC, DC	Tapsa Control	

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: April 25, 2024 | Source:

www.teknoware.com/en/emergency-lighting/emergency-lights/emergency-light-product-families/zonespot-ii-lowbay-surface-mounted-emergency-lights



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com